Appendix A. Examples

The examples in this section outline possible application of the principles in this draft guidance to various software assurance 605 situations cases. このセクションの例は、さまざまなソフトウェア アシュアランスのケースに対するこのドラフト ガイダンスの原則の可能な適用の概要を示しています。

Example 1: Nonconformance Management System

A manufacturer has purchased COTS software for automating their nonconformance process and is applying a risk-based approach for computer software assurance in its implementation. The software is intended to manage the nonconformance process electronically. The following features, functions, or operations were considered by the manufacturer in developing a risk-based assurance strategy:

製造業者は、不適合プロセスを自動化するために COTS ソフトウェアを購入し、その実装におけるコンピューター ソフトウェア保証のためにリスクベースのアプローチを適用しています。 このソフトウェアは、不適合プロセスを電子的に管理することを目的としています。 以下の特徴、機能、または操作は、リスクベースの保証戦略を開発する際に製造業者によって考慮されました。

Table 2. Computer Software Assurance Example for a Nonconformance Management System

Features, Functions, or	Intended Use of the	Risk-Based Analysis	Assurance Activities	Establishing the
Operations	Features, Functions or			appropriate record
	Operations			
Nonconformance (NC)	The intended uses of the	Failure of the NC initiation	The manufacturer has	The manufacturer
Initiation Operations:	operations are to manage the	operation to perform as	performed an assessment of	documents:
· A nonconforming event	workflow of the	intended may delay the	the system capability,	· the intended use
results in the creation of an	nonconformance and to error-	initiation workflow, but	supplier evaluation, and	·risk determination,
NC record.	proof the workflow to	would not result in a quality	installation activities. In	· summary description of the
· The necessary data for	facilitate the work and a	problem that foreseeably	addition, the manufacturer	features, functions,
initiation are recorded prior	complete quality record.	compromises safety, as the	supplements these activities	operations tested
to completion of an NC	These operations are	manufacturer has additional	with exploratory testing of	· the testing objectives and if
initiation task.	intended to supplement	processes in place for	the operations. High level	they passed or failed

A NO O			.1	
· An NC Owner is assigned	processes established by the	containment of non-	objectives for testing are	any issues found and their
prior to completion of the NC	manufacturer for	conforming product. As such,	established to meet the	disposition
initiation task.	containment of non-	the manufacturer determined	intended use and no	· a concluding statement
	conforming product.	the NC initiation operations	unanticipated failures occur.	noting that the performance
		did not pose a high process		of the operation is acceptable
		risk.		· the date testing was
				performed, and who
				performed the testing.
Electronic Signature	The intended use of the	If the electronic signature	The manufacturer has	The manufacturer
Function:	electronic signature function	function were to fail to	performed an assessment of	documents:
· The electronic signature	is to capture and store an	perform as intended, then	the system capability,	· the intended use
execution record is stored as	electronic signature where a	production or quality system	supplier evaluation, and	·risk determination
part of the audit trail.	signature is required and	records may not reflect	installation activities. To	· testing performed
· The electronic signature	such that it meets	appropriate approval or be	provide assurance that the	· any issues found and their
employs two distinct	requirements for electronic	sufficiently auditable, or may	function complies with	disposition
identification components of	signatures.	fail to meet other regulatory	applicable requirements, the	· a concluding statement
a login and password.		requirements. However, such	manufacturer performs ad-	noting that the performance
· When an electronic		a failure would not	hoc testing of this function	of the function is acceptable
signature is executed, the		foreseeably lead to	with users to demonstrate the	· the date testing was
following information is part		compromised safety. As such,	function meets the intended	performed and who
of the execution record:		the manufacturer determined	use.	performed the testing.
o The name of the person who		that this function does not		
signs the record		pose high process risk.		
o The date (DD-MMYYYY)				
and time (hh:mm) the				
signature was executed.				
o The meaning associated				
with the signature (such as				

review, approval,				
responsibility, or authorship).				
<u>Product</u> <u>Containment</u>	This function is intended to	Failure of the function to	The manufacturer has	The manufacturer
Function:	trigger the necessary	perform as intended would	performed an assessment of	documents:
· When a nonconformance is	evaluation and	result in a necessary	the system capability,	· the intended use
initiated for product outside	decisionmaking on whether a	correction or removal not	supplier evaluation, and	·risk determination
of the manufacturer's control,	product correction or removal	being initiated, resulting in a	installation activities. Since	· detailed test protocol
then the system prompts the	is needed when the	quality problem that	the manufacturer determined	developed
user to identify if a product	nonconformance occurred in	foreseeably compromises	the function to pose high	·detailed report of the testing
correction or removal is	product that has been	safety. The manufacturer	process risk, the	performed
needed.	distributed.	therefore determined that	manufacturer determined	·pass/fail results for each test
		this function poses high	assurance activities	case
		process risk.	commensurate with the	· any issues found and their
			medical device risk:	disposition
			established a detailed	· a concluding statement
			scripted test protocol that	noting that the performance
			exercises the possible	of the operation is acceptable
			interactions and potential	· the date testing was
			ways the function could fail.	performed and who
			The testing also included	performed the testing
			appropriate repeatability	·the signature and date of the
			testing in various scenarios to	appropriate signatory
			provide assurance that the	authority.
			function works reliably.	

特徴、機能または操作	特徴、機能または操作の使用	リスクベースの分析	保証活動	適切な記録の確立
	目的			
不適合 (NC) 開始操作:	操作の使用目的は、不適合のワ	NC 開始操作が意図したとお	メーカーは、システム機能の評	メーカーの文書:

- ・ 不適合イベントにより、NC | ークフローを管理し、ワークフ | りに実行されない場合、開始ワ レコードが作成されます。
- · NC 開始タスクの完了前に、 れます。
- す。

開始に必要なデータが記録さしことです。これらの操作は、 クの完了前に割り当てられま | たプロセスを補足することを | 目的としています。

ローのエラーを防止して、作業 | ークフローが遅れる可能性が | と完全な品質記録を促進する | ありますが、製造業者は不適合 | さらに、製造業者はこれらの活 | ・テストされた特徴、機能、操 不適合製品の封じ込めのため | プロセスを実施しているため、 | 足します。 テストの高レベル | ・ テストの目的と合格または ・ NC 所有者は、NC 開始タス | に製造業者によって確立され | 安全性を損なう品質問題は発 | の目標は、使用目的を満たすよ | 不合格 カーは、NC 開始操作が高いプレい障害は発生しません。 ロセス リスクをもたらさない と判断しました。

価、サプライヤーの評価、およ · 使用目的 | び設置作業を実施しました。 |・リスク決定、 製品を封じ込めるための追加|動を操作の探索的テストで補|作の概要説明 生しません。 そのため、メートうに確立されており、予期しな十・見つかった問題とその処置

- 操作のパフォーマンスが許 容できることを示す結論文
- ・ テストが実施された日付、 およびテストを実施した人。

電子署名機能:

- す。
- ・ 電子署名は、ログインとパス ワードという 2 つの異なる識 別コンポーネントを使用しま す。
- ・ 電子署名が実行されると、次 の情報が実行記録の一部にな ります。
- ο 記録に署名した人の名前
- o署名が実行された日付 (DD-MMYYYY) と 時 刻 (hh:mm)
- o 署名に関連付けられた意味 (レビュー、承認、責任、作成者

電子署名機能の使用目的は、署一 件を満たすことです。

・電子署名の実行記録は、監査 │ 名が必要な場合に電子署名を │ りに実行されなかった場合、生 │ 価、サプライヤーの評価、およ │ ・ 使用目的 証跡の一部として保存されま│取得して保存し、電子署名の要│産または品質システムの記録│び設置作業を実施しました。│・リスク判定 していない可能性があります。 しかし、そのような失敗が予見し ることはありません。 そのた め、メーカーは、この機能が高 いプロセス リスクをもたらさ ないと判断しました。

電子署名機能が意図したとお | メーカーは、システム機能の評 | メーカーの文書: は適切な承認を反映していな | 機能が適用される要件に準拠 |・実施された試験 いか、十分に監査可能でない | していることを保証するため | ・見つかった問題とその処置 か、または他の規制要件を満た | に、製造業者は、ユーザーを対 |・機能の性能が許容できるこ 象にこの機能のアドホック テーとを示す結論文 ストを実施し、機能が意図した 1. テストが実行された日付と できるほど、安全性が損なわれ「用途を満たしていることを実」テストを実行した人。 証します。

など)。 製品封じ込め機能: メーカーは、システム機能の評 この機能は、流通した製品に不 機能が意図したとおりに実行 メーカーの文書: ・メーカーの管理外で製品の 適合が発生した場合に、製品の されない場合、必要な修正また 価、サプライヤーの評価、およ · 使用目的 修正または削除が必要かどう は削除が開始されず、安全性が ・ リスク判定 不適合が開始された場合、シス び設置作業を実施しました。 製造業者は、その機能が高いプ |・ 詳細な試験プロトコルの開 テムは、製品の修正または削除しかについて、必要な評価と意思 損なわれることが予測される が必要かどうかを確認するよ → 決定をトリガーすることを目 品質上の問題が発生します。 ロセス リスクをもたらすと判 | 発 うユーザーに促します。 的としています。 したがって、メーカーは、この 断したため、製造業者は、医療 · 実施されたテストの詳細な レポート 機器のリスクに見合った保証 機能が高いプロセス リスクを もたらすと判断しました。 活動を決定しました。つまり、・各テストケースの合否結果 可能性のある相互作用と機能 | ・見つかった問題とその処置 が失敗する可能性のある方法 |・操作のパフォーマンスが許 を実行する詳細なスクリプト | 容できることを示す結論文 化されたテスト プロトコルを ・ テストが実施された日付 確立しました。テストには、 と誰がテストを実施したか 機能が確実に機能することを 適切な署名機関の署名と日 保証するために、さまざまなシー付。 ナリオでの適切な再現性テス トも含まれていました。

Example 2: Learning Management System (LMS)

A manufacturer is implementing a COTS LMS and is applying a risk-based approach for computer software assurance in its implementation. The software is intended to manage, record, track, and report on training. The following features, functions, or operations were considered by the manufacturer in developing a risk-based assurance strategy:

製造業者は COTS LMS を実装しており、その実装においてコンピュータ ソフトウェア保証のためにリスクベースのアプローチを適用しています。 このソフトウェアは、トレーニングの管理、記録、追跡、およびレポートを目的としています。 以下の機能、機能、または操作は、リスクベースの保証戦略を開発する際に製造業者によって考慮されました。

Table 3. Computer Software Assurance Example for an LMS

Features, Functions, or	Intended Use of the	Risk-Based Analysis	Assurance Activities	Establishing the
Operations	Features, Functions or			appropriate record
	Operations			
*The system provides user	All of the features, functions,	Failure of these features,	The manufacturer has	The manufacturer
log-on features (e.g.,	and operations have the same	functions, or operations to	performed an assessment of	documents:
username and password)	intended use, that is, to	perform as intended would	the system capability,	· the intended use
· The system assigns	manage, record, track and	impact the integrity of the	supplier evaluation, and	·risk determination
trainings to users per the	report on training. They are	quality system record but	installation activities. In	· a summary description of
curriculum assigned by	intended to automate	would not foreseeably	addition, the manufacturer	the failure modes tested
management	processes to comply with 21	compromise safety. As such,	supplements these activities	· any issues found and their
· The system captures	CFR 820.25 (Personnel), and	the manufacturer determined	with unscripted testing,	disposition
evidence of users' training	to establish the necessary	that the features, functions,	applying errorguessing to	· a concluding statement
completion	records.	and operations do not pose	attempt to circumvent	noting that the performance
· The system notifies users of		high process risk.	process flow and "break" the	of the operation is acceptable
training curriculum			system (e.g. try to delete the	· the date testing was
assignments, completion of			audit trail).	performed, and who
trainings, and outstanding				performed the testing.
trainings				
· The system notifies users'				
management of outstanding				
trainings				
· The system generates				
reports on training				
curriculum assignments,				
completion of training, and				
outstanding trainings				

特徴、機能または操作	特徴、機能または操作の使用	リスクベースの分析	保証活動	適切な記録の確立	l
------------	---------------	-----------	------	----------	---

	目的			
・システムは、ユーザーのログ	すべての特徴、機能、および操	これらの特徴、機能、または操	メーカーは、システム機能の評	メーカーの文書:
オン機能 (ユーザー名とパス	作の使用目的は同じです。つま	作が意図したとおりに実行さ	価、サプライヤーの評価、およ	· 使用目的
ワードなど)を提供します。	り、トレーニングの管理、記録、	れない場合、品質システム記録	び設置作業を実施しました。	・リスク判定
・システムは、管理者によって	追跡、およびレポートです。こ	の完全性に影響を与えますが、	さらに、製造業者はこれらの活	・ テストされた故障モードの
割り当てられたカリキュラム	れらは、21 CFR 820.25 (人員)	予見できるほど安全性が損な	動をスクリプト化されていな	概要説明
に従ってユーザーにトレーニ	に準拠するためのプロセスを	われることはありません。 そ	いテストで補完し、エラー推測	・ 見つかった問題とその処置
ングを割り当てます	自動化し、必要な記録を確立す	のため、メーカーは、特徴、機	を適用してプロセス フローを	操作のパフォーマンスが許
・システムは、ユーザーのトレ	ることを目的としています。	能、および操作が高いプロセス	回避し、システムを「破壊」し	容できることを示す結論文
ーニング完了の証拠を取得し		リスクをもたらさないと判断	ようとします(たとえば、監査	・テストが実施された日付、
ます		しました。	証跡を削除しようとします)。	およびテストを実施した人。
・システムは、トレーニング				
カリキュラムの割り当て、トレ				
ーニングの完了、および優れた				
トレーニングをユーザーに通				
知します				
・システムは、優れたトレーニ				
ングのユーザーの管理に通知				
します				
・システムは、トレーニング				
カリキュラムの割り当て、トレ				
ーニングの完了、および優れた				
トレーニングに関するレポー				
トを生成します。				

Example 3: Business Intelligence Applications

A medical device manufacturer has decided to implement a commercial business intelligence solution for data mining, trending, and reporting. The software is intended to better understand product and process performance over time, in order to provide identification of improvement opportunities. The following features, functions, or operations were considered by the manufacturer in developing a risk-based assurance strategy:

ある医療機器メーカーは、データ マイニング、傾向分析、およびレポート作成のための商用ビジネス インテリジェンス ソリューションを実装することを決定しま した。 このソフトウェアは、改善の機会を特定するために、製品とプロセスのパフォーマンスを経時的によりよく理解することを目的としています。 以下の特徴、 機能、または操作は、リスクベースの保証戦略を開発する際に製造業者によって考慮されました。

Table 4. Computer Software Assurance Example for a Business Intelligence Application

Features, Functions, or	Intended Use of the	Risk-Based Analysis	Assurance Activities	Establishing the
Operations	Features, Functions or			appropriate record
	Operations			
Connectivity Functions:	These functions are intended	Failure of these functions to	The manufacturer	The manufacturer
· The software allows for	to ensure a secure and robust	perform as intended would	determined assurance	documents:
connecting to various	capability for the system to	result in inaccurate or	activities commensurate with	· the intended use
databases in the organization	connect to the appropriate	inconsistent trending or	the medical device risk and	·risk determination
and external data sources.	data sources, ensure integrity	analysis. This would result in	has performed an assessment	· detailed test protocol
· The software maintains the	of the data, prevent data	failure to identify potential	of the system capability,	· a detailed report of the
integrity of the data from the	corruption, modify, and store	quality trends, issues or	supplier evaluation, and	testing performed
original sources and is able to	the data appropriately.	opportunities for	installation activities.	·pass/fail results for each test
determine if there is an issue		improvement, which in some	Additionally, the	case
with the integrity of the data,		cases, may result in a quality	manufacturer establishes a	· any issues found and their
corruption, or problems in		problem that foreseeably	detailed scripted test protocol	disposition
data transfer.		compromises safety. As such,	that exercises the possible	· a concluding statement
		the manufacturer determined	interactions and potential	noting that the performance
		that these functions posed	ways the functions could fail.	of the operation is acceptable
		high process risk,	The testing also includes	· the date testing was
		necessitating more-rigorous	appropriate repeatability	performed, and who
		assurance activities,	testing in various scenarios to	performed the testing
		commensurate with the	provide assurance that the	·the signature and date of the
		related medical device risk.	functions work reliably.	appropriate signatory
				authority.

Usability Feature:

· The software provides the user a help menu for the application.

This feature is intended to facilitate the interaction of the user with the system and provide assistance on use of all the system features. The failure of the feature to perform as intended is unlikely to result in a quality problem that would lead to compromised safety. Therefore, the manufacturer determined that the feature does not pose high process risk.

The feature does not necessitate any additional assurance effort beyond what the manufacturer has already performed in assessing the system capability, supplier evaluation, and installation activities.

The manufacturer documents:

- · the intended use
- · risk determination
- · the date of assessment and who performed the assessment
- · a concluding statement noting that the performance is acceptable given the intended use and risk.

Reporting Functions:

- · The software is able to create and perform queries and join data from various sources to perform data mining.
- · The software allows for various statistical analysis and data summarization.
- · The software is able to create graphs from the data.
- · The software provides the capability to generate reports of the analysis.

These functions are intended to allow the user to query the data sources, join data from perform various sources, analysis, and generate visuals and summaries. These functions are intended for collection and recording data for monitoring and review purposes that do not have a direct impact on production or process performance. In this example, the software is not intended to inform quality decisions.

Failure of these functions to perform as intended may result in a quality problem incomplete (e.g., inadequate reports) but, in this example, would not foreseeably lead compromised safety because these functions are intended for collection and recording data for monitoring and review purposes that do not have a direct impact on production orprocess performance. Therefore, the manufacturer determined that these functions do not

The supplier of the reporting software has validated the ability of the software to create and perform queries, ioin data from various sources to perform data mining, perform statistical analysis and data summarization. create graphs and generate reports. Beyond this. manufacturer has assessed the system capability and performed supplier evaluation and installation activities. As such. the manufacturer determined

The manufacturer documents:

- · the intended use
- · risk determination
- · the date of assessment and who performed the assessment
- · a concluding statement noting that the performance is acceptable given the intended use and risk.

			of the software do not necessitate any additional assurance effort beyond these activities.	
特徴、機能または操作	特徴、機能または操作の使用	リスクベースの分析	保証活動	 適切な記録の確立

特徴、機能または操作	特徴、機能または操作の使用	リスクベースの分析	保証活動	適切な記録の確立
	目的			
接続機能:	これらの機能は、システムが適	これらの機能が意図したとお	メーカーは、医療機器のリスク	メーカーの文書:
· このソフトウェアにより、組	切なデータ ソースに接続し、	りに実行されない場合、不正確	に見合った保証活動を決定し、	· 使用目的
織内のさまざまなデータベー	データの整合性を確保し、デー	または一貫性のない傾向分析	システム機能の評価、サプライ	・リスク判定
スや外部データ ソースに接続	タの破損を防止し、データを適	または分析が行われる可能性	ヤーの評価、および設置活動を	詳細な試験プロトコル
できます。	切に変更および保存するため	があります。これにより、潜	実施しました。 さらに、メー	・ 実施されたテストの詳細な
ソフトウェアは、元のソース	の安全で堅牢な機能を確保す	在的な品質傾向、問題、または	カーは、可能な相互作用と機能	レポート
からのデータの整合性を維持	ることを目的としています。	改善の機会を特定できず、場合	が失敗する可能性のある方法	・各テストケースの合否結果
し、データの整合性に問題があ		によっては、安全性を損なうこ	を実行する詳細なスクリプト	・ 見つかった問題とその処置
るかどうか、破損、またはデー		とが予見できる品質問題につ	化されたテスト プロトコルを	・ 操作のパフォーマンスが許
タ転送の問題があるかどうか		ながる可能性があります。 そ	確立します。 テストには、さ	容できることを示す結論文
を判断できます。		のため、メーカーは、これらの	まざまなシナリオでの適切な	・テストが実施された日付、
		機能が高いプロセス リスクを	再現性テストも含まれており、	およびテストを実施した人
		もたらすと判断し、関連する医	機能が確実に機能することを	・ 適切な署名機関の署名と日
		療機器のリスクに見合った、よ	保証します。	付。
		り厳格な保証活動が必要であ		
		ると判断しました。		
使いやすさの特徴:	この機能は、ユーザーとシステ	機能が意図したとおりに機能	この機能は、メーカーがシステ	メーカーの文書:
・ソフトウェアは、ユーザーに	ムの対話を容易にし、すべての	しないことで、安全性が損なわ	ム機能の評価、サプライヤーの	· 使用目的
アプリケーションのヘルプ メ	システム機能の使用を支援す	れるような品質上の問題が発	評価、および設置作業で既に実	・リスク判定
ニューを提供します。	ることを目的としています。	生する可能性はほとんどあり	施した以上の追加の保証作業	・ 評価の日付と誰が評価を行

Transfer of the second of the			T	
		ません。 したがって、メーカ	を必要としません。	ったか
		ーは、この機能が高いプロセス		・ 意図された用途とリスクを
		リスクをもたらさないと判断		考慮して、パフォーマンスが許
		しました。		容できることを示す結論文。
レポート機能:	これらの機能は、ユーザーがデ	これらの機能が意図したとお	レポート ソフトウェアのサプ	メーカーの文書:
・このソフトウェアは、クエリ	ータ ソースをクエリしたり、	りに実行されない場合、品質上	ライヤーは、ソフトウェアがク	· 使用目的
(質問、特に公式になされた質	さまざまなソースからのデー	の問題(不完全または不適切	エリを作成および実行し、さま	・リスク判定
問)を作成して実行し、さまざ	タを結合したり、分析を実行し	なレポートなど) が発生する	ざまなソースからのデータを	・ 評価の日付と誰が評価を行
まなソースからのデータを結	たり、ビジュアルや要約を生成	可能性がありますが、この例で	結合してデータ マイニングを	ったか
合してデータ マイニングを実	したりできるようにすること	は、これらの機能は監視および	実行し、統計分析とデータ要約	・ 意図された用途とリスクを
行できます。	を目的としています。 これら	レビュー目的でデータを収集	を実行し、グラフを作成し、レ	考慮して、パフォーマンスが許
・ソフトウェアは、さまざまな	の機能は、生産またはプロセス	および記録することを目的と	ポートを生成する機能を検証	容できることを示す結論文。
統計分析とデータの要約を可	のパフォーマンスに直接影響	しているため、安全性が損なわ	しました。 さらに、メーカー	
能にします。	を与えない監視およびレビュ	れることは予見できません。	はシステムの機能を評価し、サ	
・ソフトウェアは、データから	ー目的でのデータの収集およ	生産やプロセスのパフォーマ	プライヤーの評価と設置作業	
グラフを作成できます。	び記録を目的としています。	ンスに直接影響を与えないも	を実施しました。 そのため、	
ソフトウェアは、分析のレポ	この例では、ソフトウェアは品	の。 したがって、メーカーは、	製造業者は、ソフトウェアのレ	
ートを生成する機能を提供し	質決定を通知することを意図	これらの機能が高いプロセス	ポート機能は、これらの活動以	
ます。	していません。	リスクをもたらさないと判断	外に追加の保証努力を必要と	
		しました。	しないと判断しました。	